

FARMTRAC

INTRODUCING
The Pro Avtaar

**FARMTRAC
26 PRO**



**26 HP
Mitsubishi Engine**



**9F + 3R Gearbox
with Side Shift**



**800 Kg
Lift Capacity**

Mitsubishi ENGINE



At the heart of the Farmtrac 26 PRO lies a refined Mitsubishi engine quiet, powerful, and efficient. It turns everyday farming into a smoother, more effortless experience, saving time, fuel, and energy with every run.

- **High-Performance Mitsubishi Engine**

Powered by a 3-cylinder, 1319 CC engine delivering 26 HP and 76.3 Nm torque for consistent high output across applications.

- **Superior Fuel Efficiency & Emission Compliance**

Low SFC of 205 g/Ps-Hr ensures fuel savings while meeting advanced European Stage V emission standards.


- **Advanced Cooling & Protection System**

Equipped with a radiator safety grill, coolant recovery bottle, and dry air filter with clogging sensor for reliable temperature and engine management.

- **Low Maintenance, Long-Life Design**

Engineered with a fuel filter cum water separator and easy access layout to reduce downtime and extend engine life.

TRANSMISSION



- **9F + 9R Constant Mesh with Synchro Shuttle**

Smooth gear shifting with nine forward and nine reverse speeds ensures precision control, reduced wear, and operator comfort during frequent direction changes.

- **Bull Gear Reduction System**

Even force distribution across components minimizes wear, enhances durability, and ensures consistent performance in rugged and high-load conditions.

- **Advanced 4WD & H-Pattern Gearbox**

Convenient 4WD engagement and ergonomic H-pattern shifting enable effortless control, superior traction, and quick directional transitions during fieldwork.

- **3-Range Hydrostatic Transmission with 540/540E PTO**

Offers infinite speed control, enhanced travel speed, dual PTO options for power and fuel efficiency, and hydrostatic ease for precise implement performance.

Shift through tasks as easily as shifting gears. The Farmtrac 26 PRO's advanced transmission brings agility to your fingertips, making every turn, shuttle, and maneuver feel natural and responsive.

Safety & COMFORT



With the Farmtrac 26 PRO, every hour on the field feels effortless. Advanced safety features and ergonomic design keep you secure, comfortable, and in full control—so you can focus on getting the job done, not on the tractor.

- **Neutral Safety Switches**

Prevents accidental starts as the engine ignites only when clutch, gear, PTO, and seat safety conditions are met.

- **Operator Presence Sensor**

Automatically shuts off the engine within 7 seconds if the operator leaves the seat without engaging the parking brake.

- **Roll Over protection System (ROPS)**

Certified foldable ROPS with seatbelt and beacon light ensures operator safety and flexibility in low-clearance areas.

- **Battery Cut-Off Switch**

Disconnects the battery when not in use, hence, enhancing battery life and reducing potential fire hazards.

- **Mechanical Ratchet-Type Parking Brake**

Provides firm hold on slopes and smooth engagement, reducing operator effort during long operations.



- **Digital Cluster Meter with Day-Night Vision**

Modern, clear, and adaptive display ensures visibility in all lighting conditions with a premium aesthetic appeal.

- **Under-Hood Muffler with Downward Silencer**

Improves front visibility and minimizes noise for a quieter, more comfortable driving experience.

- **Single-Piece Slant Nose Bonnet**

Full-open, single-latch hood enables quick access for maintenance while elevating sleek design aesthetics.

- **Side-Shift Levers for Ergonomic Control**

Positioned for easy reach and reduced fatigue by simplifying gear shift during extended field operations.

- **Compact Dimensions for Tight Spaces**

Narrow body design (1.04m width) ensures superior maneuverability in vineyards, orchards, and inter-cultural fields.

FUNCTIONALITY



The Farmtrac 26 PRO makes every field task feel effortless. With intuitive controls, compact design, and easy access to key components, it puts comfort and command at your fingertips, so you can focus on Productivity, not the tractor.

FARMTRAC 26 PRO (4WD)

Model Name		Farmtrac 26 PRO	Farmtrac 26 PRO (HST)
Drive system		4WD	4WD
Engine	Model	MV S3L2	MV S3L2
	Make	Mitsubishi	Mitsubishi
	No. of Cylinders	3	3
	Gross output (HP)	24.4	24.4
	Displacement (cc)	1319	1319
	Rated RPM	2500	2500
	Emission Norms / Cold Startability	Stage V / -15°C	Stage V / -15°C
	Aspiration	Natural Aspiration	Natural Aspiration
	Fuel tank capacity (Ltrs.)	23	23
	Air cleaner	Dry Type	Dry Type
Transmission	Gear	9F+9R w synchro shuttle	HST 3 Range
	Type	Constant Mesh	Constant Mesh
Rear Axle	Type	Bull Gear	Bull Gear
	Differential Lock	Yes	Yes
Clutch type		Single Clutch	No
Brake type		OIB	OIB
Speed @ Rated ERPM	Forward (km/h) Max./Min	Max 20.3 / Min 1.4 (Agri)	Max 19.1 (Agri)
	Reverse (km/h) Max./Min	Max 21.4 / Min 1.5 (Agri)	Max 16.3 (Agri)
	Max speed @ fly up	21.9 (Agri)	20.6 (Agri)
PTO	Speed (rpm)	540 & 540E	540 & Mid PTO
	Output (HP)	~18	~18
	Type	Dual PTO	Dual PTO
3-Point hitch		CAT I N	CAT I N
Steering	Type	Power Steering	Power Steering
	Pump Capacity (LPM)	14	14
Hydraulics	Control system	Position & DraFarmtrac control	Position control
	LiFarmtrac Capacity - at lower link end (kg)	800 Kg	800 Kg
	Hydraulic pump Capacity (LPM)	19.3	19.3
	Standard auxiliary valve	1DA/1SA detent type	1DA/1SA detent type
Tyre	Front standard tyre	6x12 (Agri.)	6x12 (Agri.)
	Rear standard tyre	8.3x20 (Agri.)	8.3x20 (Agri.)
Dimension	Overall length (mm)	2677	2677
	Overall width (mm)	1165	1165
	Overall height (mm)	2192	2192
	Wheel base (mm)	1551	1551
	Ground clearance (mm)	~300	~300
	Front track width (mm)	841	841
	Rear track width (mm)	914	914
	Turning radius with brake (m)	~2.1	~2.1
Tractor weight (kg)		1079	1079
OPTIONAL FEATURES			
Rear wheel weight		No	No
Front weight		No	No
Front weight Carrier		Hanger	Hanger
Driver seat		E-Marked with Arm Rest & Neck Support	E-Marked with Arm Rest & Neck Support
Rear tow hook		No	No
Swinging draw bar		Yes	Yes
ROPS		Yes	Yes
Canopy		No	No
Safety Start Switch Neutral - Gear		Yes	Yes
Battery		No	No
Tyre Options		Agri., Turf, Ind.	Agri., Turf, Ind.

Escorts Kubota Limited International Sales Division

15/5, Mathura Road, Faridabad (NCR), India | Phone: +91-129-2575507/5292

Website: www.escortskubota.com | E-mail: ekl_ex.internationalbusiness@escortskubota.com

Follow Us:  Farmtrac Tractors  farmtrac_worldwide  Farmtrac Worldwide



Scan for more details

Disclaimer: Product specifications and features are subject to changes due to continuous development.